

Amendments to the Claims

1. (Currently Amended) An intervertebral fusion device, comprising:
 - (a) a body having a proximal portion along a major axis of the body and a distal portion along the major axis and wherein the body defines a conduit substantially parallel to the major axis, said conduit extending throughout the body; and
 - (b) ~~supporting means~~ a support at the distal portion that is configured to support vertebrae in a distracted position while the vertebrae fuse and wherein the ~~supporting means define~~ support includes a conduit in fluid communication with the conduit defined by the body and having at least one outlet on a surface of the support,wherein at least a portion of the body or the ~~supporting means~~ support has a height distinct from a width taken along a cross-section of the portion of the body or ~~supporting means~~ support perpendicular to the major axis, whereby the portion of the body or ~~supporting means~~ support can distract vertebrae, between which the portion of the body or the ~~supporting means~~ support has been placed, by rotation of the body or the ~~supporting means~~ support about the major axis.
2. (Currently Amended) The intervertebral fusion device of ~~Claims~~ Claim 1, wherein at least a part of the distal portion of the body has a height distinct from a width taken along the cross-section of the body, whereby the body can distract vertebrae between which at least the part of the distal portion has been placed by rotation of the body about the major axis.
3. (Currently Amended) The intervertebral fusion device of Claim 2, wherein the ~~supporting means~~ support is at least one member selected from the group consisting of a cage, a balloon and a ramp.

4. (Currently Amended) The intervertebral fusion device of ~~Claim 3~~ Claim 2, wherein the ~~supporting means~~ support is a cage.
5. (Currently Amended) The intervertebral fusion device of ~~Claim 4~~ Claim 2, wherein the cage substantially maintains natural angle between the distracted vertebrae.
6. (Currently Amended) The intervertebral fusion device of ~~Claim 5~~ Claim 2, wherein the cage substantially maintains natural angle between the distracted vertebrae upon detachment of the body from the cage.
- 7-10. (Cancelled)
11. (Currently Amended) The intervertebral fusion device of ~~Claim 3~~ Claim 2, wherein the ~~supporting means~~ support includes a balloon.
12. (Currently Amended) The intervertebral fusion device of ~~Claim 11~~ Claim 2, wherein the ~~supporting means~~ support further includes at least one material selected from the group consisting of morsellized autograft, demineralized bone matrix, bone marrow aspirate, bone marrow concentrate, platelet-rich plasma, hyaluronic acid, collagen, calcium phosphate cements, and bioabsorbable polymers.
13. (Currently Amended) The intervertebral fusion device of Claim 12, wherein at least one of the morsellized autograft, demineralized bone matrix, bone marrow aspirate, bone marrow concentrate, platelet-rich plasma, hyaluronic acid, collagen, calcium phosphate cements, and bioabsorbable polymers are within ~~the a~~ a balloon.
14. (Cancelled)
15. (Currently Amended) The intervertebral fusion device of Claim 1, wherein the ~~supporting means~~ support has a height distinct from a width taken along the cross section of the ~~supporting means~~, whereby the ~~supporting means~~ support can distract vertebrae between which the ~~supporting means~~ support has been placed, by rotation of the body and the ~~supporting means~~ support about the major axis.

16-23. (Cancelled)

24. (Currently Amended) A kit for providing a fusion-promoting material comprising:

- (a) an intervertebral fusion device, said device including
 - (i) a body having a proximal portion along a major axis of the body and a distal portion along the major axis and wherein the body defines a conduit substantially parallel to the major axis, said conduit extending throughout the body; and
 - (ii) ~~supporting means~~ a support at the distal portion that is configured to support vertebrae in a distracted position while the vertebrae fuse and wherein the ~~supporting means define~~ support defines a conduit in fluid communication with the conduit defined by the body and having at least one outlet on a surface of the support, wherein at least a portion of the body or the ~~supporting means~~ support has a height distinct from a width taken along a cross-section of the portion of the body or ~~supporting means~~ support perpendicular to the major axis, whereby the portion of the body or ~~supporting means~~ support can distract vertebrae, between which the portion of the body or the ~~supporting means~~ support has been placed, by rotation of the body or the ~~supporting means~~ support about the major axis; and
- (b) a flowable material selected from the group consisting of morsellized autograft, demineralized bone matrix, bone marrow aspirate, bone marrow concentrate, platelet-rich plasma, hyaluronic acid, collagen, calcium phosphate cements, bioabsorbable polymers and bone growth.

25-36. (Cancelled)

37. (New) The intervertebral fusion device of claim 1, wherein the support is semi-permeable.

38. (New) The intervertebral fusion device of claim 1, wherein the support is biodegradable.

39. (New) An intervertebral fusion device, comprising:

- (a) a body having a proximal portion along a major axis of the body and a distal portion along the major axis and wherein the body defines a conduit substantially

parallel to the major axis, said conduit extending throughout the body; and

- (b) a selectively expandable balloon at the distal portion that is configured to support vertebrae in a distracted position while the vertebrae fuse and wherein an inner volume of the expandable balloon is in fluid communication with the conduit defined by the body, the balloon being formed of a biodegradable polymer.

40. (New) The intervertebral fusion device of claim 39, wherein the balloon is formed of a material selected from the group consisting of low-molecule weight polymers of lactic acid, glycolic acid, hydroxylated poly(glycolic-co-lactic) acid, collagen, and oxidized regenerated cellulose.